



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/911,903	07/23/2001	Hugh J. Pasika	07414.0025-01000	4264

7590 12/14/2004

Finnegan, Henderson, Farabow,
Garrett & Dunner, L.L.P.
1300 I Street, N.W.
Washington, DC 20005-3315

EXAMINER

LY, CHEYNE D

ART UNIT PAPER NUMBER

1631

DATE MAILED: 12/14/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER**ART UNIT****PAPER**

110404

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The reply filed on September 29, 2004 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): It is noted that Applicant has submitted a new drawing, Figure 47, corresponding to the objected illustration on page 91. Applicant provides an instruction to "amend the paragraph on page 91, line 4" which does not unambiguously identify the objected drawing on page 91 for deletion or replacement. It is noted that Applicant has what resembles "double brackets" around the drawing. The use of "double brackets" in amendments has been reserved for indicating deleted characters that are five or fewer consecutive characters (See MPEP §714 II C. (B)). Further, Applicant has not addressed the objected drawing on page 87 of the specification identified in the previous Office Action, mailed May 18, 2004. Applicant is reminded that under 37 CFR 1.58 (a), the specification, including the claims, may contain chemical and mathematical formulas, but shall not contain drawings or flow diagrams. Applicant is further reminded to amend the Brief Description of the Drawing to include descriptions of any new drawings submitted. See 37 CFR 1.111. Since the above-mentioned reply appears to be bona fide, applicant is given ONE (1) MONTH or THIRTY (30) DAYS from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to (571) 272-0547.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to C. Dune Ly, whose telephone number is (571) 272-0716. The examiner can normally be reached on Monday-Friday from 8 A.M. to 4 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Woodward, Ph.D., can be reached

DEC 11 2004

SUPERVISOR
TECHNOLOGY CENTER 1600